




Aria-Area Light

NHL-ARL

Job Name:
Type:



Features / Specifications:

- Designed for maximum aesthetic appeal and thermal management •Multiple mounting configurations for maximum application versatility
- Attractive fin design for thermal management •LG® 3535 or CREE® XPG2 LED's and YG® driver technology
- Dimming option available •Precision die cast
- IP65 rated fixture for outdoor use •Chip and fade resistant powder coat finish in any color
- Precision Type II, III, IV, V optics •Industrial grade, 3 or 5 pin Photocell Receptacle

Delivered Lumens: **65W** 4K-8,442 Lumens 5K-8,597 Lumens / **100W** 4K-12,359 Lumens 5K-12,517 Lumens / **120W** 4K-14,499 Lumens 5K-14,668 Lumens / **150W** 4K-19,703 Lumens 5K-19,933 / **200W** 4K-24,504 Lumens 5K-24,794 Lumens / **250W** 4K-30,775 Lumens 5K-31,134 Lumens



Applications:

Schools
Shopping Centers
Correctional Facilities
Parks
Any Public Building
Parking Lots



Available Options:

Fill in the boxes with the options you need fax it to us at: 732-833-8085.

NHL-ARL

Optic Type:

- T2** Type 2
- T3** Type 3
- T4** Type 4
- T5** Type 5

Wattage:

- 100W** 100 Watts
- 120W** 120 Watts
- 200W** 200 Watts
- 250W** 250 Watts
- 65W** 65 Watts

Color Temp:

- 30K** =3,000K
- 40K** =4,000K
- 50K** =5,000K

Voltage:

- UNV** =120-277

Housing Color:

- CC** =Custom Color
- Z** =Bronze

LED Options:

- PC** =Photocell

Mounting:

- AM** =Arm Mount
- SF** =Slip Fitter
- TM** =Trunnion Mount
- WM** Wall Mount